1 5039 ((370/95.5) or (370/395.51) or (370/395.52) or (370/3 or (370/395.54) or (370/401) or (370/466) or (370/392)).CCLS. 2 1075250 router brouter bridge gateway interface	US-PGPUB;	2004/07/29 13:18
(370/392)).CCLS.		
1 7 1075750 I router brouter bridge dateway intertace	DERWENT	2004/07/20 40 47
2 1075250 router brouter bridge gateway interface	USPAT;	2004/07/29 12:47
	US-PGPUB; DERWENT	
3 118309 atm ethernet	USPAT;	2004/07/29 13:21
3 aun culcinet	US-PGPUB;	2001/07/23 13:21
	DERWENT	
4 6432 mpls	USPAT;	2004/07/29 12:50
	US-PGPUB;	
	DERWENT	0004/07/0040
5 1751 vlan	USPAT;	2004/07/29 12:48
	US-PGPUB; DERWENT	
6 2147 vlan or (virtual adj LAN) or (virtual ADJ local ADJ area		2004/07/29 13:20
network)	US-PGPUB;	2004/07/25 15.20
, mathemy	DERWENT	
7 303 (vlan or (virtual adj LAN) or (virtual ADJ local ADJ area		2004/07/29 12:48
network)) and vian and (atm ethernet) and (router broad		
bridge gateway interface) and (((370/95.5) or (370/395		
(370/395.52) or (370/395.53) or (370/395.54) or (370/	/401) or	
(370/466) or (370/392)).CCLS.) 9 2915107 table memory storage	USPAT;	2004/07/29 12:48
9 2915107 table memory storage	US-PGPUB;	2004/07/23 12.46
	DERWENT	
8 51 (vlan or (virtual adj LAN) or (virtual ADJ local ADJ area	■	2004/07/29 12:48
network)) and vian and mpls and (atm ethernet) and (r	outer US-PGPUB;	
brouter bridge gateway interface) and (((370/95.5) or	DERWENT	
(370/395.51) or (370/395.52) or (370/395.53) or (370/	/395.54)	
or (370/401) or (370/466) or (370/392)).CCLS.)	NO ADI LICDATI	2004/07/20 12:49
10 49 ((vlan or (virtual adj LAN) or (virtual ADJ local ADJ are network)) and vlan and mpls and (atm ethernet) and (r		2004/07/29 12:48
brouter bridge gateway interface) and (((370/95.5) or	DERWENT	
(370/395.51) or (370/395.52) or (370/395.53) or (370/		
or (370/401) or (370/466) or (370/392)).CCLS.)) AND	(table	
memory storage)		
19 6488 mpls or (Multiprotocol ADJ Label ADJ Switching)	USPAT;	2004/07/29 12:52
	US-PGPUB;	
20 53 (((370/95.5) or (370/395.51) or (370/395.52) or (370/	DERWENT 395.53) USPAT;	2004/07/29 13:11
or (370/395.54) or (370/401) or (370/466) or	US-PGPUB;	2007/07/23 13.11
(370/392)).CCLS.) and (router brouter bridge gateway	DERWENT	
interface) and (vlan or (virtual adj LAN) or (virtual ADJ		
ADJ area ADJ network)) and (mpls or (Multiprotocol A	VD)	
Label ADJ Switching)) and (table memory storage)	LICOAT	2004/07/20 42:42
21 0 ("6771662").PN.	USPAT;	2004/07/29 13:12
	US-PGPUB; DERWENT	
22 512 WAKAYAMA.in.	USPAT;	2004/07/29 13:12
VAL VALUE IN TABLE	US-PGPUB;	355.,57,25 15.12
	DERWENT	
23 6 WAKAYAMA.in. and (mpls or (Multiprotocol ADJ Label		2004/07/29 13:12
Switching))	US-PGPUB;	-
242 (44-14-4-14-14-14-14-14-14-14-14-14-14-14	DERWENT	2004/07/20 42:42
24 243 (mpls or (Multiprotocol ADJ Label ADJ Switching)) ar (router brouter bridge gateway interface) and (((370/9)		2004/07/29 13:19
(370/395.51) or (370/395.52) or (370/395.53) or (370/		
or (370/401) or (370/466) or (370/392)).CCLS.)	, 555.5.7	

25	222	((mpls or (Multiprotocol ADJ Label ADJ Switching)) and (router brouter bridge gateway interface) and (((370/95.5) or (370/395.51) or (370/395.52) or (370/395.53) or (370/395.54) or (370/401) or (370/466) or (370/392)).CCLS.)) and (table memory storage)	USPAT; US-PGPUB; DERWENT	2004/07/29 13:19
26	2193	vlan or (virtual adj LAN) or (virtual ADJ local ADJ area ADJ network) or 802.1q	USPAT; US-PGPUB; DERWENT	2004/07/29 13:20
27	179892	atm IP	USPAT; US-PGPUB; DERWENT	2004/07/29 13:21
29	52	(router brouter bridge gateway interface) and (((370/95.5) or (370/395.51) or (370/395.52) or (370/395.53) or (370/395.54) or (370/401) or (370/466) or (370/392)).CCLS.)) and (table memory storage)) and (atm IP)) and (vlan or (virtual adj LAN) or (virtual ADJ local ADJ area ADJ network) or 802.1q)	USPAT; US-PGPUB; DERWENT	2004/07/29 13:22
28	218	(((mpls or (Multiprotocol ADJ Label ADJ Switching)) and (router brouter bridge gateway interface) and (((370/95.5) or (370/395.51) or (370/395.52) or (370/395.53) or (370/395.54) or (370/401) or (370/466) or (370/392)).CCLS.)) and (table memory storage)) and (atm IP)	USPAT; US-PGPUB; DERWENT	2004/07/29 13:22

L Number	Hits	Search Text	DB	Time stamp
-	5039	((370/95.5) or (370/395.51) or (370/395.52) or (370/395.53)	USPAT;	2004/07/29 13:18
		or (370/395.54) or (370/401) or (370/466) or	US-PGPUB;	
		(370/392)).CCLS.	DERWENT	
-	1075250	router brouter bridge gateway interface	USPAT;	2004/07/29 12:47
			US-PGPUB;	
			DERWENT	
-	118309	atm ethernet	USPAT;	2004/07/29 13:21
			US-PGPUB;	
	6422		DERWENT	2004/07/20 42-50
-	6432	mpls	USPAT;	2004/07/29 12:50
			US-PGPUB;	
	1751	, dam	DERWENT	2004/07/20 12:49
-	1751	vlan	USPAT;	2004/07/29 12:48
			US-PGPUB; DERWENT	
	2147	vlan or (virtual adj LAN) or (virtual ADJ local ADJ area ADJ	USPAT;	2004/07/29 13:20
-	2147	network)	US-PGPUB;	2004/07/29 13.20
		(INCLWOIK)	DERWENT	
_	303	(vlan or (virtual adj LAN) or (virtual ADJ local ADJ area ADJ	USPAT;	2004/07/29 12:48
]	303	network)) and vian and (atm ethernet) and (router brouter	US-PGPUB;	200 1/07/23 12.70
ļ		bridge gateway interface) and (((370/95.5) or (370/395.51) or	DERWENT	
		(370/395.52) or (370/395.53) or (370/395.54) or (370/401) or	DERWEIT	
		(370/466) or (370/392)).CCLS.)		
_	2915107	table memory storage	USPAT;	2004/07/29 12:48
	2313107	able memory storage	US-PGPUB;	2001/07/25 12:10
			DERWENT	İ
-	51	(vlan or (virtual adj LAN) or (virtual ADJ local ADJ area ADJ	USPAT;	2004/07/29 12:48
		network)) and vlan and mpls and (atm ethernet) and (router	US-PGPUB;	,,
		brouter bridge gateway interface) and (((370/95.5) or	DERWENT	
		(370/395.51) or (370/395.52) or (370/395.53) or (370/395.54)		
		or (370/401) or (370/466) or (370/392)).CCLS.)		
-	49	((vlan or (virtual adj LAN) or (virtual ADJ local ADJ area ADJ	USPAT;	2004/07/29 12:48
		network)) and vian and mpis and (atm ethernet) and (router	US-PGPUB;	
		brouter bridge gateway interface) and (((370/95.5) or	DERWENT	
		(370/395.51) or (370/395.52) or (370/395.53) or (370/395.54)]	
1		or (370/401) or (370/466) or (370/392)).CCLS.)) AND (table		
ļ		memory storage)		
-	6488	mpls or (Multiprotocol ADJ Label ADJ Switching)	USPAT;	2004/07/29 12:52
			US-PGPUB;	
		((/270/0F F) em /270/20F F4) em /270/20F F2) : (270/20F F2)	DERWENT	2004/07/20 42 44
-	53	(((370/95.5) or (370/395.51) or (370/395.52) or (370/395.53)	USPAT;	2004/07/29 13:11
		or (370/395.54) or (370/401) or (370/466) or (370/392)).CCLS.) and (router brouter bridge gateway	US-PGPUB; DERWENT	
		interface) and (vlan or (virtual adj LAN) or (virtual ADJ local	DERWENT	
		ADJ area ADJ network)) and (mpls or (Multiprotocol ADJ	1	
		Label ADJ Switching)) and (table memory storage)		
1_	0	("6771662").PN.	USPAT;	2004/07/29 13:12
		(0., 100E) III	US-PGPUB;	-00 1, 07, 25 15.12
			DERWENT	
-	512	WAKAYAMA.in.	USPAT;	2004/07/29 13:12
			US-PGPUB;	
			DERWENT	
-	6	WAKAYAMA.in. and (mpls or (Multiprotocol ADJ Label ADJ	USPAT;	2004/07/29 13:12
		Switching))	US-PGPUB;	, ,
			DERWENT	
-	243	(mpls or (Multiprotocol ADJ Label ADJ Switching)) and	USPAT;	2004/07/29 13:19
		(router brouter bridge gateway interface) and (((370/95.5) or	US-PGPUB;	
		(370/395.51) or (370/395.52) or (370/395.53) or (370/395.54)	DERWENT	
		or (370/401) or (370/466) or (370/392)).CCLS.)	<u> </u>	

<u> </u>	222	((mpls or (Multiprotocol ADJ Label ADJ Switching)) and	USPAT;	2004/07/29 13:19
		(router brouter bridge gateway interface) and (((370/95.5) or	US-PGPUB;	200 ., 0, , 25 10.15
		(370/395.51) or (370/395.52) or (370/395.53) or (370/395.54)	DERWENT	
		or (370/401) or (370/466) or (370/392)).CCLS.)) and (table		
		memory storage)		
-	2193	vlan or (virtual adj LAN) or (virtual ADJ local ADJ area ADJ	USPAT;	2004/07/29 13:20
		network) or 802.1q	US-PGPUB;	
1			DERWENT	
-	179892	atm IP	USPAT;	2004/07/29 13:21
	1		US-PGPUB;	
	52	////mmla ar (Multiprotocal AD3 Label AD3 Cuitabing)) and	DERWENT	2004/07/20 12:22
-	52	((((mpls or (Multiprotocol ADJ Label ADJ Switching)) and (router brouter bridge gateway interface) and (((370/95.5) or	USPAT; US-PGPUB;	2004/07/29 13:22
		(370/395.51) or (370/395.52) or (370/395.53) or (370/395.54)	DERWENT	
		or (370/401) or (370/466) or (370/392)).CCLS.)) and (table	DERWEIT	
		memory storage)) and (atm IP)) and (vlan or (virtual adj LAN)		
		or (virtual ADJ local ADJ area ADJ network) or 802.1q)		
-	218	(((mpls or (Multiprotocol ADJ Label ADJ Switching)) and	USPAT;	2004/07/29 13:22
		(router brouter bridge gateway interface) and (((370/95.5) or	US-PGPUB;	
		(370/395.51) or (370/395.52) or (370/395.53) or (370/395.54)	DERWENT	
		or (370/401) or (370/466) or (370/392)).CCLS.)) and (table		
		memory storage)) and (atm IP)	<u> </u>	

L Number	Hits	Search Text	DB	Time stamp
1	5039	((370/95.5) or (370/395.51) or (370/395.52) or (370/395.53)	USPAT;	2004/07/29 11:41
		or (370/395.54) or (370/401) or (370/466) or	US-PGPUB;	:
		(370/392)).CCLS.	DERWENT	
2	1075250	router brouter bridge gateway interface	USPAT;	2004/07/29 11:42
			US-PGPUB;	
			DERWENT	
3	118309	atm ethernet	USPAT;	2004/07/29 11:42
			US-PGPUB;	
		·	DERWENT	
4	6432	mpls	USPAT;	2004/07/29 11:42
			US-PGPUB;	
			DERWENT	
5	1751	vlan	USPAT;	2004/07/29 11:43
			US-PGPUB;	
_			DERWENT	
6	2147	vlan or (virtual adj LAN) or (virtual ADJ local ADJ area ADJ	USPAT;	2004/07/29 11:44
		network)	US-PGPUB;	
_	202	()	DERWENT	2004/07/20 44:45
7	303	(vlan or (virtual adj LAN) or (virtual ADJ local ADJ area ADJ	USPAT;	2004/07/29 11:45
		network)) and vian and (atm ethernet) and (router brouter	US-PGPUB; DERWENT	
		bridge gateway interface) and (((370/95.5) or (370/395.51) or (370/395.52) or (370/395.53) or (370/395.54) or (370/401) or	DERWENT	
		(370/395.52) or (370/395.53) or (370/395.54) or (370/401) or (370/466) or (370/392)).CCLS.)		
8	51	(vlan or (virtual adj LAN) or (virtual ADJ local ADJ area ADJ	USPAT;	2004/07/29 12:08
8	J1	network)) and vian and mpls and (atm ethernet) and (router	US-PGPUB;	2007/07/23 12:00
		brouter bridge gateway interface) and (((370/95.5) or	DERWENT	
		(370/395.51) or (370/395.52) or (370/395.53) or (370/395.54)	DERWEIT	
		or (370/401) or (370/466) or (370/392)).CCLS.)		
9	2915107	table memory storage	USPAT;	2004/07/29 12:11
-			US-PGPUB;	
			DERWENT	
10	49	((vlan or (virtual adj LAN) or (virtual ADJ local ADJ area ADJ	USPAT;	2004/07/29 12:12
		network)) and vlan and mpls and (atm ethernet) and (router	US-PGPUB;	
		brouter bridge gateway interface) and (((370/95.5) or	DERWENT	
		(370/395.51) or (370/395.52) or (370/395.53) or (370/395.54)		
		or (370/401) or (370/466) or (370/392)).CCLS.)) AND (table		
		memory storage)		